Next-Gen Unified Security Gateways

RG-EG3250/RG-EG2100-P V2



Ruijie Networks Co., Ltd.

For further information, please visit our website https://www.ruijienetworks.com





Product Overview

Ruijie EasyGate (EG) Next-generation Unified Security Gateway is a multi-functional Cloud Managed Security Gateway product for various industries. Equipped with highperformance multi-core MIPS hardware architecture, the EG Gateway supports a wide range of features such as high-performance NAT, WAN load balancing, smart flow control, online behavior management, visualized IPsec VPN, web authentication, etc.

Taking advantage of integrated Hard Disk Drive (HDD), the EG Security Gateway can provide local storage for Internet activities logging, which is essential for National Internet Security Compliance in many countries.

Ruijie EG Next-generation Unified Security Gateway is also supported by Ruijie Cloud, altogether with switches and wireless access points, Ruijie Cloud can provide a comprehensive secure networking platform for centralized management allowing for device monitoring, configuration as well as firmware management.

For ease of provisioning, Ruijie provide an innovative Mobile App Dummy Provisioning for SME customers. In less than 3-min, user can complete the Gateway initial setup with Internet connectivity, without any PC setup or cable installation.


There are two models available for Security Gateway, RG-EG3250 & RG-EG2100-P v2.

Feature highlights of Ruijie EG Next-generation Security Gateway Series:




Highlights

- Smart Flow Control & AAA Integration
- User Online Behavior Management
- VPN & Traffic Visualization
- FREE Cloud Management
- App Caching for Download Acceleration
- Built-in Internet Audit Log Storage (EG3250)
- Built-in Power-Over-Ethernet Integration (EG-2100-P v2)
- Mobile App Dummy Provisioning (EG-2100-P v2)




Product Features

Smart Flow Control & AAA Integration



- Smart P2P speed limit, accurate identification of P2P software, and automatic transmission of uplink source quench message to control the downlink traffic and prevent downlink bandwidth exhaustion
- Support over 120 popular application in DPI engine and enjoys FREE for life signature update
- Role-based flow control based on usernames and user groups to facilitate the allocation of bandwidths according to different departments
- Support AAA (Authentication, Authorization and Accounting) with web authentication, integration with AAA Software and simple traffic accounting feature

Online Behavior Management



Ruijie EG Next-generation Unified Security Gateway provides detailed online behavior management of the intranet users, blocking a variety of non-work-related websites to create a good working atmosphere and improve work efficiency.

VPN Visualization

Select a Position:	/ Network Position
Iteadquarter	2 Branch Type
Set the current device as Headquater devices to it.	3 VPN Type
Mobile User	4 Finish
Internet	
O Branch	
Set the current device as Branch devices and connect the terminal devices to it to access the Headquater, Branch	

Ruijie SME Security Gateway has significantly simplified the VPN configuration, which could be completed just by a few clicks, eliminating the need for professional maintenance. The gateway enables users to view and control the traffic in the VPN tunnel, establishing a visualized VPN to guarantee the security of key services using VPN.

Traffic Analysis

Equipped with powerful DPI technology, the Ruijie SME Security Gateway collects traffic usage statistics based on users, applications and links for report generation, providing reliable historical data for bandwidth expansion as well as user and application-based bandwidth control policies.

Flow Control	Key App 24.65Kbps↓ 199.8Kbps↑	Normal App 0Kbps↓ 0Kbps↑	Rate-limited App 0Kbps↓ 0Kbps↑
Search App	 HTTP-BROWSE DNS 	Google+	
Bandwidth	Image: Big HTTPS	facebook twitter	🗉 🔛 P2P
VIP User	 	LinkedIn	OnlineStorage MOBILE
Exceptional User		Pinterest	主 💣 Social_contact_MOBILE
VPN Flow Control	ICMP-DETAIL Security	Whatsapp Instagram	
Blocked App	💌 🗖 Vpn-app	Tumblr	
Change Solution	 OA_office ■ Video_conferencing ↓ 	Snapchat	-

Centralized Cloud Management

Couple with Ruijie Cloud services, the Ruijie EG Security Gateway is now able to be monitored & managed from the centralized cloud services. Ruijie Cloud is the free cloudbased management platform for all the Security Gateway series. No hardware or servers required to be installed on customer premise. Device monitoring, configuration changes & firmware management can be performed easily in anytime, anywhere & anyway.






Diagram 1 EG Security Gateway Device Info and Top N Traffic Analysis on Ruijie Cloud management platform

Intuitive Mobile App



Apart from the accessing cloud management dashboard from workstation, Ruijie offer an alternative to manage Security Gateway from your fingertips, a tailor-made Mobile App you can download from Google Play and Apple Appstore. You can now access to Security Gateway even you' re away from your PC.

Mobile App Provisioning for Dummy



For ease of provisioning, Ruijie provide an innovative Mobile App Dummy Provisioning for SME customers. In less than 3-min, user can complete the Gateway initial setup with Internet connectivity, without any PC setup or cable installation.

App Caching for Download Acceleration

Ruijie EG Gateway provide exclusive Caching technology for any media files resources and Mobile App (Google Android APK and IOS Store), the files will download from EG Cache directly without go through the Internet. The feature is exceptionally help for situation with high volume for same identical file downloading, such as Games, Mobile App, System Patches, etc. but the internet line speed is not fast sufficient or expensive. One of most popular application is for shopping malls, retails chain, F&B, Airport, Metro Company with own Mobile App for O2O business, membership promotion, and valueadded service. Guest or Vistors very often will download the same Mobile App during the peak hours, and long downloading is definitely expected because of Internet or Serverside bottleneck issues.




Diagram 2 EG Security Gateway Hot Spot Resource Table: Review for the Hit Ratio for cache resources

Built-in Internet Audit Log Storage

At the heart of most devices that provide protection for IT networks is an ability to log events and take actions based on those events. Ruijie SME Security Gateway (EG3250 model only) supports detail logging both on what has happened to the device and what is happening. A local attached 1TB harddisk provides sufficient storage to keep all the nessecary audit logging trail. It increase the higher logging retential period before it is exported to external logging server

Behavior Policy	Access Audit Report				
Access Audit Report	Today's Audit Report			Q Advanced Search	C [®] Export
	User(IP)	Website	Website Type	Access on	Action
Object	/192.168.2.6(192.168.2.6)	http://online.kugou.com/pull?ver=9068&c	UNKNOW	2019-01-31 17:46:18	Allow
	/192.168.2.6(192.168.2.6)	https://avisec.com	UNKNOW CLASS	2019-01-31 17:45:59	Allow
	/192.168.2.6(192.168.2.6)	https://www.baldu.com	Blocked	2019-01-31 17:45:59	Blocked
	/192.168.2.6(192.168.2.6)	https://baldu.com	Blocked	2019-01-31 17:45:59	Blocker
	/192.168.2.6(192.168.2.6)	http://14.215.177.39/	UNKNOW	2019-01-31 17:45:49	Allow
	/192.168.2.6(192.168.2.6)	http://14.215.177.38/	UNKNOW	2019-01-31 17:45:49	Allow
	/192.168.2.6(192.168.2.6)	https://jpush.cn	UNKNOW	2019-01-31 17:45:28	Allow
	/192.168.2.6(192.168.2.6)	https://ruljlenetworks.com	UNKNOW	2019-01-31 17:42:25	Allow
	/192.168.2.6(192.168.2.6)	https://cloud.tencent.com	UNKNOW	2019-01-31 17:39:34	Allow
	/192.168.2.6(192.168.2.6)	https://vivo.com.cn	UNKNOW	2019-01-31 17:36:07	Allow
	Access Audit	Access Audit Report Access Audit Report Copies Copies Access Audit Report Copies Copies Access Audit Report Copies Copies Copies Copies Copies Copies Copies	Access Autor Tectors Just Majorit Cityin Li dati Report Tectors Just Majorit Cityin Li dati Report User (IP) Website / 1921.08.2.6 (1921.08.2.6) https://orink.sugout.com/pull/wer-900882c / 1921.08.2.6 (1921.08.2.6) https://www.baldut.com / 1921.08.2.6 (1921.08.2.6) https://baldut.com / 1921.08.2.6 (1921.08.2.6) https://baldut.com / 1921.08.2.6 (1921.08.2.6) https://Jaidut.com / 1921.08.2.6 (1921.08.2.6) https://Jaidut.com / 1921.08.2.6 (1921.08.2.6) https://Jaidut.com / 1921.08.2.6 (1921.08.2.6) https://Jauh.cn / 1921.08.2.6 (1921.08.2.6) https://Jauh.cn	Citys Jakus Rejort Vectors Jakus Rejort Citys J. Audit Rejort Today J. Audit Rejort User (IP) Website Website UNNOW Citys J. Audit Rejort //22148.2.61092.168.2.60 https://aniks.kugou.com/pulliver=90588cc UNNOW V192168.2.61092.168.2.61 https://aniks.com Elliocked UNNOW V192168.2.61092.168.2.61 https://aniks.com Blocked V192168.2.61092.168.2.61 https://aniks.com CLASS V192168.2.61092.168.2.61 https://shidu.com Blocked V192168.2.61092.168.2.61 https://shidu.com Blocked V192168.2.61092.168.2.61 https://shidu.com UNNOW V192168.2.61092.168.2.61 https://shidu.com UNNOW	Access Aut Next Today is Autis Report Q. Advanced Search Object Today is Autis Report Q. Advanced Search Object Visco 2019 Name Quality is a constrained in the super-correct part of the super-co

Built-in Power-Over-Ethernet (POE)



Designed for retail, small organizations and distributed enterprises with remote and branch offices, the RG-EG2100-P v2 integrate support for PoE devices. It come with 7 POE Out ports to provide power to and endpoint like, video cameras, security access control (card scanners), point-of-sales devices, IP phones, wireless access point and many more. It eliminates the complexity of providing extra power cabling especially the small organization or retail wireless network deployment. Cost and time saving!

Techincal Specifications

Model	RG-EG2100-P v2	RG-EG3250	
Hardware Specification			
CPU	Multi-core MIPS		
Fixed Ports	8 1000BASE-T ports (7x POE/POE+)	8 1000BASE-T ports 1 SFP port 1 SFP+ port (non-combo)	
WAN Ports	Upto 2	Upto 6	
Flash	4GB EMMC	8M SPIFLASH	
Hard Disk	N/A	Standard 1TB	
Memory	512M	2G	
Performance & Feature			
	1000Mbps (1518 bytes)	6000Mbps (1518 bytes)	
Performance	450Mbps (512bytes)	3725Mbps (512bytes)	
	70Mbps (64 bytes)	800Mbps (64 bytes)	
Concurrent Session	100,000	600,000	
Recommended Concurrent User ⁴	300	2000	
App Caching	Support	Support	
Cache Capacity	750MB	100GB	
Cache Resources	Android APK & Apple IOS	Android APK & Apple IOS; Windows System Patches	
Network Protocol	Support TCP/IP protocols, including IP, ICMP, IGMP, TCP, UDP, etc. Support multiple routing protocols, including static routing, RIP (V1 / V2) and OSPF Support DHCP Relay and DHCP Server Support PPPoE Client Support NAT and multiple NAT ALG including FTP, H.323, DNS, etc. Support ARP, trusted ARP, proxy ARP, etc. Support Ping and Traceroute fault detection		
Application Visibility	 Support self-developed 43 types of applications / more than 120 application features, customizable protocol identification: P2P: BitTorrent, eMule, Thunder, EDONKEY, FlashGet & etc. Multimedia: YouTube, Facebook Video, WebEx Conference & etc. Social Media: Facebook, Twitter, LinkedIn, Pinterest & etc. VOIP/Chat: Skype, Viber, Google Hangout, Jabber, Facebook Messenger & etc. Instant Messaging/Email: Gmail, MSN, QQ, YAHOO & etc. Software Update: Window, McAfee, Kaspersky, ESET & etc. Cloud-based File Collaboration: GoogleDrive, Dropbox, OneDrive, iCloud & etc. Enterprise Application: HTTP, FTP, SMTP, POP3, IMAP, Telnet, LOTUS-NOTES, SQL Server, Oracle, Mysql, HTTPS & etc. 		

Model	RG-EG2100-P v2	RG-EG3250	
URL Filtering	Support custom URLs Support remote HTTP automatic URL library upgrade Local log storage (NAT log, traffic log, URL log, etc.) Support storage on external log server		
WAN Load Balancing	Support (upto 2 WAN Port)	Support (upto 6 WAN Port)	
IPsec VPN Tunnel	16	1000	
Network Security	Anti-ARP Spoofing Defense against malicious attacks fro Support secure address binding Block WAN Ping Prevent Port Scan Attack Prevent Fragmentation Attack Prevent ICMP Flood Attack Prevent ICMP Flood Attack Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack	om internal and external networks	
Ruijie Cloud Integration Feature	Support device health monitoring status Support centralized configuration change management & backup Support Top 10 Application/User traffic visualization Support device firmware management Support event-based alarm notification		
Other Features	Integrate with AAA software to support multiple authentication modes		
	Support push advertising page		
Other Features Service and Support	Support multi-link load balancing		
	Support remote HTTP online upgrade for signature library, software version, etc.		
	Lifetime Free signature library upgrade		
Rack Height	1U	1U	
Weight	2KG	4kg	
Power Supply	100-240V~,50-60Hz,3A	100-240V~,50-60Hz,0.65A	
PoE Budget	135W	NA	
Power Consumption	<150W	<25W	
Dimensions (W x D x H) (mm)	200×200x43.6	440×200×43.6	
Operating Temperature	0° C to 45° C	0° C to 40° C	
Operating Humidity	10% to 90%RH	10% to 90%RH	

Typical Application

Ruijie EasyGate Next-gen Unified Security Gateway is a multi-functional security gateway product integrated with NAT, security, acceleration, flow control and online behavior management features, which is designed to optimize Internet Gateway Solutions, providing customers with simplified Internet gateway network, optimized Internet experience, flexible online behavior management and other features.

Security Gateway can be applied as Internet gateway for scenarios such as hotels, shopping mall, higher education, primary and secondary schools, enterprise networks, retails, small business, etc.




Diagram 2: Typical Application Scenario for SME Office /Hotel and Retail Chain Stores




Diagram 3: Typical Application Scenario for Eco/Budget Hotel or Small Office

Application Features:

- Support integration with AAA authentication and Ruijie Cloud unified management
- Support CMCC + RADIUS authentication and billing
- Support user online behavior management such as blacklist URL blocking, user activity tracking and URL monitoring, etc.
- Feature-rich application visibility to track user traffic and apply necessary remediation
- Support authentication-free feature in case failure occurs at the authentication servers or links and authentication service is unavailable.

Ordering Information

Model	Description
RG-EG3250	All-in-one Unified Security Gateway, 8 GE ports (upto 6 WAN port), 1SFP, 1SFP+ ports (non-combo) , 1TB Hard disk (Lifetime free L7 DPI signature update, free IPsec VPN)
RG-EG2100-P v2	All-in-one Smart Access Gateway, 8 GE ports (upto 2 WAN & 7 LAN port) upto 7x POE/POE+ (Lifetime free L7 DPI signature update, free IPsec VPN), Rack Mount Kit included





Ruijie Networks Co., Ltd.

For further information, please visit our website https://www.ruijienetworks.com

All rights are reserved by Ruijie Networks Co., Ltd. Ruijie reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.