

### www.totolink.net

The Smartest Network Device



AC2600 Wireless Dual Band Gigabit Router

Model No. A7100RU



800Mbps+1733Mbps 11ac 2533Mbps



**Dual-Core MIPS Processor** 



Full Gigabit WAN



**MU-MIMO Technology** 

# Overview

## AC2600

## **Wireless Dual Band Gigabit Router**

### Model No. A7100RU

A7100RU applies dual-band technology to create two independent Wi-Fi bands and deliver the wireless speed up to 2533Mbps, which satisfies the different Internet demands from multiple users at the same time, such as website reading, mailing, streaming media and gaming. Six internal high-performance antennas and the beamforming technology helps to position the wireless devices to make a more powerful, reliable and stable wireless connection.

Meanwhile, the gigabit WAN port enables a super-high speed connection to the Internet, which would help to show the best performance of the PC and Smart TV via cable connection with A7100RU.



# > Features

- Complies with the IEEE 802.11ac Wave2 Wi-Fi standard.
- Simultaneous 1733Mbps on 5GHz and 800Mbps on 2.4GHz for a total of 2533Mbps.
- MU-MIMO technology allows to transfer data to multiple devices at the same time.
- Beamforming technology improves directional signal transmission or reception, and reduces interferences.
- Full Gigabit ports ensure high-speed Internet access and wired speed.
- Supports DHCP, Static IP, PPPoE, PPTP and L2TP broadband functions.
- Supports WPA/WPA2 MIX.
- Connects to a secure network easily and fast using WPS.
- QoS: Bandwidth Control based on IP address.
- Supports IP/Port filtering, MAC filtering, URL filtering and Port Forwarding.
- Universal Repeater and WDS function for easy Wi-Fi extension.
- Multi-SSID function enables users to create multiple Wi-Fi networks.
- Easy setup with smartphone UI simplifies the basic settings.
- APP Management




# Selling point



# 2533Mbps Super Speed Wi-Fi

A7100RU complies with the IEEE802.11ac Wave2 Wi-Fi standard. It works on 2.4G and 5G simultaneously and delivers speeds up to 2533Mbps.

























## **MU-MIMO Technology**

MU-MIMO capable——Go faster by streaming simultaneously to multiple devices, ensuring a stable Wi-Fi connection to the Internet and keeping it consistently connected.



Single-User MIMO



Multi-User MIMO



## **Support IPTV**

With top-level configurations on hardware,

A7100RU supports much powerful applications on firmware.

IPTV is one of the most useful features for the users,

which brings very good experience on Wi-Fi and Multi-media.



# **Specification**

#### **Hardware**

Interface

Power Supply Button

LED Indicator Antenna

Dimensions (L x W x H)

- 2 \* 1000Mbps LAN Ports

- 1 \* 1000Mbps WAN Port

- 12V DC / 2A

- 1 \* RST Button


- 1 \* WPS Button

- 1 \* SYSTEM LED

- 6 \* internal antennas (2.4G/5G)

- 180mm x 120mm x 256mm

- 7.0" x 4.7" x 10.1"



#### **Wireless**

Standards

**RF Frequency** 

Data Rate

EIRP

Wireless Security
Reception Sensitivity

- IEEE 802.11ac, IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
- 2.4GHz/5GHz
- 2.4GHz: Up to 800Mbps
- 5GHz: Up to 1733Mbps
- 2.4GHz < 20dBm
- 5GHz < 20dBm
- WPA/WPA2 MIX
- 2.4G:11b 11M: -81dBm@8% PER

11g 54M: -68dBm@10% PER

11n HT20 MCS7: -65dBm@10% PER HT40 MCS7: -62dBm@10% PER

- 5G: 11a 54M: -68dBm@10% PER

11n HT20 MCS7: -65dBm@10% PER HT40 MCS7: -62dBm@10% PER

11ac VHT80 MCS9: -51dBm@10% PER

# **Specification**

#### **Software**

- DHCP, Static IP, PPPoE, PPTP, L2TP **WAN Type** Home - Quick Setup, Basic, Advanced, LED, Logout, Reboot Network - IP/MAC Binding, DDNS, IPTV, IPv6 Wireless - Multiple SSID, Wireless Schedule, Access Control, WPS Parental Control - Internet time control based on MAC - Up/Down speed control on WAN, Bandwidth control based on IP address QoS - MAC Filtering, IP/Port Filtering, URL Filtering Security - Port Forwarding, DMZ, VPN passthrough NAT - PPTP VPN, L2TP VPN, Open VPN **VPN** Sever Storage - DLNA, Samba Tools - Change password, Time setup, Remote manageme, UPnP, Schedule, System, Upgrade Firmware, Ping Diagnosis, Route Tracking, System Log

#### **Others**

Package Contents	- A7100RU Wireless Router *1 - Power Adapter *1 - Ethernet Cable *1
	- Quick Installation Guide *1
Environment	- Operating Temperature: 0 °C ~50 °C (32 °F ~122 °F)
	- Storage Temperature: -40 °C ~70 °C (-40 °F ~158 °F)
	- Operating Humidity: 10%~90% non-condensing
	- Storage Humidity: 5%~90% non-condensing

### ZIONCOM (HK) TECHNOLOGY LIMITED

Copyright 2019 ZIONCOM (HK) TECHNOLOGY CO., LTD. All Rights Reserved.

#### Headquarter & R&D Center

7/F, Unit D, 4 Building Shenzhen Software Industry Base, Xuefu Road, Nanshan District, Shenzhen, Guangdong, China

Tel : +86-755-6136-3288 (Ext.867) | FAX : +86-755-6136-3344

#### Factory

Building A1 & A2 Lantian Technology Park, Xinyu Road, Xinqiao Henggang Block, Shajing Street, Baoan District, Shenzhen, Guangdong, China